

DASL Extraction Error Descriptions and Corrective Action

The following is a list of error messages that could occur in the extraction files and the necessary corrective action.

ADWI – Admission/Withdraw Error Messages	Error Description	Corrective Action
(ADWI) flushed. Stu#>000009998 Admission>20031021 Withdrawal>20031021 Overlaps dates with Admission>20030826 Withdrawal>20031024	This error occurs when admission and withdraw dates on two different ADWI records have overlapping ranges. This could result in a student being incorrectly reported as not enrolled in EMIS.	This error may require intervention from the DASite Support staff to correct. Please provide the correct admission and withdraw dates for each ADWI record to your support person.
CLIS File Error Messages	Error Description	Corrective Action
(CLIS) Bad record Stu#> RP> Term> Year> Course Section>01 Periods: Possible> Absent> Late>	This error occurs when there is a blank in any of the following fields: Student ID, Reporting Period, Term, School year, course section, or periods Possible, Absent or Late.	Contact your DASite SIS support person to have the blank CLIS record deleted.
COHI – Course History Error Messages	Error Description	Corrective Action
(COHI) flushed. Term 1 absences (350) out of range! Stu#> 000500522 Grade>11 Year>2003 Course>WS Section>01	This error occurs when the number of term 1 absences on a course history record are outside of the number range of absences a student could have. The number in parentheses indicates the number of absences on the COHI record in error.	To correct, fix the number of Term 1 absences on the course history record.
(COHI) flushed. Term 2 absences (350) out of range! Stu#> 000500522 Grade>11 Year>2003 Course>WS Section>01	This error occurs when the number of Term 2 absences on a course history record are outside of the number range of absences a student could have. The number in parentheses indicates the number of absences on the COHI record in error.	To correct, fix the number of Term 2 absences on the course history record.

(COHI) flushed. Term 3 absences (350) out of range! Stu#> 000500522 Grade>11 Year>2003 Course>WS Section>01	This error occurs when the number of Term 3 absences on a course history record are outside of the number range of absences a student could have. The number in parentheses indicates the number of absences on the COHI record in error.	To correct, fix the number of Term 3 absences on the course history record.
(COHI) flushed. Term 4 absences (350) out of range! Stu#> 000500522 Grade>11 Year>2003 Course>WS Section>01	This error occurs when the number of Term 4 absences on a course history record are outside of the number range of absences a student could have. The number in parentheses indicates the number of absences on the COHI record in error.	To correct, fix the number of Term 4 absences on the course history record.
(COHI) flushed. Final absences (350) out of range! Stu#> 000500522 Grade>11 Year>2003 Course>WS Section>01	This error occurs when the number of absences on a course history record are outside of the number range of absences a student could have. The number in parentheses indicates the number of absences on the COHI record in error.	To correct, fix the number of final absences on the course history record.
(COHI) flushed. Course section is not numeric! Stu#>000500522 Grade>11 Year>2003 Course> WS Section>	This error occurs when the course section number on a course history record has a non-numeric value or is blank. The error message contains the information about the record to identify it.	The course section is part of the key to a course history record and is not a changeable field. To correct this, the course history record will need to be deleted and re-added with a valid section number.
(COHI) flushed. Term 1 credit, no mark. Earn>001.00000 Attempt>001.00000 Stu#>000005972 Grade>09 Year>2002 Course>SUMR PEC Sect>01	This error occurs when there is an attempted and earned credit for term 1, however, the term 1 mark field is blank.	To correct this error, correct the term 1 mark on the course history record.
(COHI) flushed. Term 2 credit, no mark. Earn>000.00000 Attempt>000.50000 Stu#>000005778 Grade>09 Year>2002 Course>EX SPAN Sect>02	This error occurs when there is an attempted and earned credit for term 2, however, the term 2 mark field is blank.	To correct this error, correct the term 2 mark on the course history record.
(COHI) flushed. Term 3 credit, no mark. Earn>001.00000 Attempt>001.00000	This error occurs when there is an attempted and earned credit for term 3, however, the term 3	To correct this error, correct the term 3 mark on the course history record.

Stu#>000005972 Grade>09 Year>2002 Course>SUMR PEC Sect>01	mark field is blank.	
(COHI) flushed. Term 4 credit, no mark. Earn>000.00000 Attempt>000.50000 Stu#>000005778 Grade>09 Year>2002 Course>EX SPAN Sect>02	This error occurs when there is an attempted and earned credit for term 4, however, the term 4 mark field is blank.	To correct this error, correct the term 4 mark on the course history record.
(COHI) flushed. Term 1 earn credit (000.50000) > attempt credit (000.05000) Stu#>000057017 Grade>09 Yr>2001 Course>HEALTH Sect>01	This error occurs when a course history record has a term 1 earned credit that is greater than the term 1 attempted credit. In this example, the term 1 earned credit is .50, however, the attempted credit is .05.	Corrections need to be made to the credit fields on the COHI record.
(COHI) flushed. Term 2 earn credit (000.50000) > attempt credit (000.05000) Stu#>000057017 Grade>09 Yr>2001 Course>HEALTH Sect>01	This error occurs when a course history record has a term 2 earned credit that is greater than the term 2 attempted credit. In this example, the term 2 earned credit is .50, however, the attempted credit is .05.	Corrections need to be made to the credit fields on the COHI record.
(COHI) flushed. Term 3 earn credit (000.50000) > attempt credit (000.05000) Stu#>000057017 Grade>09 Yr>2001 Course>HEALTH Sect>01	This error occurs when a course history record has a term 3 earned credit that is greater than the term 3 attempted credit. In this example, the term 3 earned credit is .50, however, the attempted credit is .05.	Corrections need to be made to the credit fields on the COHI record.
(COHI) flushed. Term 4 earn credit (000.50000) > attempt credit (000.05000) Stu#>000057017 Grade>09 Yr>2001 Course>HEALTH Sect>01	This error occurs when a course history record has a term 4 earned credit that is greater than the term 4 attempted credit. In this example, the term 4 earned credit is .50, however, the attempted credit is .05.	Corrections need to be made to the credit fields on the COHI record.
(COHI) flushed. Final attempted credit (000.50000) <> sum of terms Stu#>000000297 Grade>09 Year>2001 Course>PERS.DEV Section>00	This error occurs when the final attempted credits on course history do not equal the sum total of attempted credits for each term. For example, term 1 indicates .50 attempted, term 2 also indicates .50 attempted but final attempted credit	Corrections need to be made on the individual COHI record for the student and course listed in the error message.

	is .50 also.	
(COHI) flushed. School Year (2010) out of range! Stu#> 000050085 Grade>10 Year>2010 Course>BAND PE Section>00	This error occurs when a course history record exists for a student and the year of the record is out of the normal range for course history records. In this example, the record exists for the school year 2010.	The course history record will need to be deleted and re-added with the correct information as the school is is not a changeable field on COHI.
(COHI) flushed. Final earn credit (000.25000) > attempt credit (000.05000) Stu#>000075865 Grade>09 Year>2002 Course>P.E. Sect>00	This error occurs when a course history record has a final earned credit that is greater than the final attempted credit. In this example, the attempted credit amount is .05, however, the final earned credit amount is .25.	Corrections need to be made to the credit fields on the COHI record.
(COHI) flushed. Mark (C) not valid for year! Stu#> 020062050 Grade>10 Year>2003 Course>COMP.APP Section>00	This error occurs when the mark given for a course on course history is not a valid mark on the marks table for the year of the course history record. This occurs on records transferred in from other districts or when marks that are no longer valid are deleted from the marks table.	To correct: If you will be keeping the mark in the COHI record the student had received, then you must add the missing mark to the P109 – Alpha Marks table so the mark is Valid. You will define the mark with the “from” and “to” year fields for the year showing on the course history record so that it’s valid specifically for that year. Otherwise, you must change the mark on the COHI record to a valid mark that you currently have defined in your P109 – Alpha Marks table.
Cont – Student Contact Error Messages	Error Description	Corrective Action
(CONT) Record flushed, name is blank. Stu#>	This error occurs when a contact record exists for a student and the contact name is blank.	Find the record in error on the CONT screen and correct the name field.
CRSE – Course Master Error Messages	Error Description	Corrective Action
(CRSE) Course:591 From:2002 To:2004 matches artificial course. Flushed.	This error occurs when a CRSE record is found for a course ID that is also defined as an artificial course on P501 Artificial Courses.	You must delete either the CRSE or P501 record that is in error to eliminate the duplicate. To decide which is the correct

		<p>record to delete, you must decide if this course is to receive a mark/grade or not.</p> <p>If the course is to receive a mark/grade then the course must be on CRSE. If the course is NOT to receive a grade, it should be defined on P501 as an artificial course.</p> <p>If the course was to receive a grade: The record must be defined in CRSE and you would delete the course from the P501. Display CLIS and verify CLIS records already exist for this course. If CLIS records do not exist, you will rerun B105 to create the CLIS records. Please contact the DA-Site for assistance.</p> <p>If the course was NOT to receive a grade: The course would be defined on P501 and the course on CRSE would be deleted. You would display CLIS for the course id to verify if CLIS records exist. If they exist, you will delete each CLIS record. Then you would need to go to the students schedule and re-enter the course on his/her schedule.</p>
<p>(CRSE) Course:XXXX From:1989 To: Has same abbreviation, YYYY , as Course:ZZZZ From:1998 To:</p>	<p>This occurs when two active courses have the same course abbreviation. Each course record in CRSE should have its own unique abbreviation</p>	<p>To correct this problem, you will need to change the course abbreviation on one of the CRSE records listed in the error. If</p>

	unless the same course record has a stop year for one year and then a new start year for the next year so that they aren't overlapping.	not corrected, this could cause a course history record to be created with the wrong course information and therefore cause inaccurate credit and GPA data for the student transcript.
(CRSE) Course:9870 From:2004 To: overlaps years with PRMTHIV1, as Course:9870 From:2002 To:	This error occurs when two CRSE records with the same course ID are found and their From and To years overlap with one another.	To correct this problem, you will need to either change the ending year on the course that has been stopped or delete and re-add the latest CRSE record with a later Starting Year.
Medical Files Error Messages	Error Description	Corrective Action
(MEDC) record flushed, student id, seq or text is blank: Stu#>000005055 Seq>10 Text>	This error occurs when a MEDC record has a blank Student ID, sequence number or test field. The error indicates the values of the fields in the record in error.	To correct, find the student on the MEDI screen and select screen type PR – Prescriptions. Correct the blank field or delete the record if it is an error.
(MHIS) Record flushed, blank field: Stu#>000002080 Date>19971229 Seq>20 Text>	This error occurs when a Medical history record has a blank Student ID, sequence number, Date or Text. The error indicates the values of the fields in the record in error.	To correct, find the MEDI screen and select the screen type HI – Medical History. Correct the blank field or delete the record if it is an error.
(HEAR) Record flushed: Stu#>000004009 Date> Result>P	This error occurs when a Medical hearing record is found for a student and either the Student ID, Date or result field is blank.	To correct this problem, find the MEDI screen and select the HS – Hearing Screening record Correct the blank field or delete the record if it is an error. If the Result field is blank, change the record so that it contains a proper result code.
(HHST) record flushed, student id, comment or date is blank: Stu#>" " Date>" " Comment>"	This error occurs when a Medical health history record is found for a student and either the Student ID, Date or result field is blank.	To correct this problem, Display the HHST screen for the record in error Correct the blank field or delete the record if it is an error.
(HLOG) Record flushed, student id or date	This error occurs when there is a Medical Health	Display the HLOG screen and find the

is blank: Stu#> Date>	Log record for a student and either the Student ID or the date field is blank.	record in Error. Correct the blank field or delete the record if it is an error.																																																
(DENT) Record flushed, student ID or date is blank: Stu#>	This error occurs when there is a Student Dental Screening record for a student that has no Student ID or exam date. The error message identifies the student in error.	Display the MEDI screen and select the DE – Dental Screening record in error. Correct the blank field or delete the record if it is an error.																																																
(GROW) Record flushed, student ID or date is blank: Stu#>	This error occurs when there is a Student Growth Screening record for a student that has no Student ID or exam date. The error message identifies the student in error.	Display the MEDI screen and select the GR – Growth Screening record in error. Correct the blank field or delete the record if it is an error.																																																
(SCOL) Record flushed, student ID, date or result is blank: Stu#>	This error occurs when there is a Student Scoliosis Screening record for a student that has no Student ID, exam date, or result code. The error message identifies the student in error.	Display the MEDI screen and select the SS – Scoliosis Screening record in error. Correct the blank field or delete the record if it is an error.																																																
(VISI) Record flushed, student ID or date is blank: Stu#>	This error occurs when there is a Student Vision Screening record for a student that has no Student ID or exam date. The error message identifies the student in error.	Display the MEDI screen and select the VI – Vision Screening record in error. Correct the blank field or delete the record if it is an error.																																																
Initialization Parameter Error Messages	Error Description	Corrective Action																																																
(P105) Overlapping Term Flushed	<p>This error occurs when terms defined on P105 have valid from and to years that overlap with another term of the same code.</p> <p>Example:</p> <table border="1"> <thead> <tr> <th>Term Code</th> <th>Valid From Year</th> <th>Valid To Year</th> <th>Term Text</th> <th>Beginning Mon</th> <th>Beginning Day</th> <th>Ending Mon</th> <th>Ending Day</th> </tr> </thead> <tbody> <tr> <td>1 1</td> <td>89/90</td> <td></td> <td>1st Semester</td> <td>8</td> <td>25</td> <td>12</td> <td>19</td> </tr> <tr> <td>2 1</td> <td>90/91</td> <td>92/93</td> <td>1st Semester</td> <td>8</td> <td>25</td> <td>12</td> <td>19</td> </tr> </tbody> </table>	Term Code	Valid From Year	Valid To Year	Term Text	Beginning Mon	Beginning Day	Ending Mon	Ending Day	1 1	89/90		1 st Semester	8	25	12	19	2 1	90/91	92/93	1 st Semester	8	25	12	19	<p>To correct this problem, change the Valid to Year so that it is not overlapping the same Term Code. In the example below, we entered a Valid to Year for line 1 of 89/90 and then removed the Valid to Year of 92/03 on line two.</p> <table border="1"> <thead> <tr> <th>Term Code</th> <th>Valid From Year</th> <th>Valid To Year</th> <th>Term Text</th> <th>Beginning Mon</th> <th>Beginning Day</th> <th>Ending Mon</th> <th>Ending Day</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>89/90</td> <td>89/90</td> <td>1st Semester</td> <td>8</td> <td>25</td> <td>12</td> <td>19</td> </tr> <tr> <td>1</td> <td>90/91</td> <td></td> <td>1st Semester</td> <td>8</td> <td>25</td> <td>12</td> <td>19</td> </tr> </tbody> </table>	Term Code	Valid From Year	Valid To Year	Term Text	Beginning Mon	Beginning Day	Ending Mon	Ending Day	1	89/90	89/90	1 st Semester	8	25	12	19	1	90/91		1 st Semester	8	25	12	19
Term Code	Valid From Year	Valid To Year	Term Text	Beginning Mon	Beginning Day	Ending Mon	Ending Day																																											
1 1	89/90		1 st Semester	8	25	12	19																																											
2 1	90/91	92/93	1 st Semester	8	25	12	19																																											
Term Code	Valid From Year	Valid To Year	Term Text	Beginning Mon	Beginning Day	Ending Mon	Ending Day																																											
1	89/90	89/90	1 st Semester	8	25	12	19																																											
1	90/91		1 st Semester	8	25	12	19																																											

(P105) Blank From Year! Flushed	This error occurs when a term record is defined with a blank "Valid from Year".	The record must be deleted and re-added with a valid From Year as changes to this field are not allowed.
(P108) Duplicate entries for period	This error occurs when a period code is defined two times on P108. An example of this is when a school defines a period "A" and another period "a". This is considered a duplicate.	One of the period codes will need to have the external period name changed.
(P109) Blank Mark ! flushed.	This error occurs when a blank line is encountered on P109 – Alphabetic Marks table. This will appear as a blank line in line number one on the P109 screen.	Delete this line from the table.
(P109) Blank From year ! flushed	This error occurs when a mark record is defined with a blank "Valid from Year" on the P109 – Alphabetic Marks Table.	The record must be deleted and re-added with a valid from year as changes to this field are not allowed.
(P128) Blank Note record flushed	This error occurs when a blank line is encountered on P128 Absence Note Codes table. This will appear as a blank line in line number one on the P128 screen.	Delete the blank line from the P128 screen.
(P128) Lowercase Entry flushed.	This error occurs when an Absence note code is defined on P128 and the code is in lowercase. If the same letter code exists in uppercase, this would be considered a duplicate.	The code will need to be deleted from P128 and any corresponding absence records referencing this code may need to be updated as well.
(P140) Duplicate entries for grade XX flushed!	This error occurs when there are two grade levels defined on P140 with the same value for external grade level.	The external grade level will need to be changed on one of the records. It might be necessary to find the students with an internal grade level equal to the record you're changing to ensure that the new grade level you're assigning as the external value is correct.
(P141) Non-numeric values flushed>	This error occurs when the field values for Valid	To correct this, change the From and To

	Range of Numeric Marks “From” and/or “To” contains a non-numeric value.	Numeric marks values to a valid number in each field.
(P142) Non-numeric values flushed>	This error occurs when the field value for From Mark, To Mark, credit multiplier, Points, From Points, or To points is not numeric.	To correct this error, modify the field value in error.
(P143) Blank Trans. Per. record flushed	This error occurs when a blank line is encountered on P143 Period/Block Translation table. This will appear as a blank line in line number one on the P143 screen.	Delete this line from the table.
(P144) Level of difficulty not on P134, flushed. Level of difficulty>B Mark>A Points>600	This error occurs when a difficulty code table is found on P144 and the corresponding Difficulty level does not exist on P134.	To correct this, determine if the P144 difficulty table entries are valid and if so, add the corresponding difficulty level code to P134. If not valid, delete the P144 entries for this version of the difficulty code tables. In this error example, the level of difficulty is “B”, the Mark on the table is “A” and the point value is 600.
(P145) Blank Ethnic record flushed	This error occurs when a blank record exists on the P145 Ethnic Code table. This record will appear as a blank line in line number one of the P145 screen.	Delete this line from the table.
(P146) Blank Marks Trans. record flushed	This error occurs when a blank record exists on the P146 Marks Translation table. This record will appear as a blank line in line number one of the P146 screen.	Delete this line from the table.
(P147) Blank Ethnic Trans. record flushed	This error occurs when a blank record exists on the P147 Ethnic Code Translation Table. This record will appear as a blank line in line number one of the P147 table.	Delete this line from the table.
(P148) Blank record flushed	This error occurs when a blank record exists on	Delete all table entries under the blank

	the P148 table. This will appear as a blank version on P148 with table entries defined under the blank version.	version. Re-add under version 1.
(P149) Record with bad version # flushed	This error occurs when there is a P149 table defined with a blank version number. Each student defined on this blank version table will be listed on the error report with the same error.	Delete all student numbers listed under the blank table version.
(P150) Blank Transfer record flushed	This error occurs when there is a blank P150 On-Line Transfer record defined with no version. The record must be deleted.	Hit the backspace on the Version, it will display the blank record and give you the option to delete it.
(P151) Blank Receive record flushed	This error occurs when there is a blank P151 On-Line Receive record defined with no version. The record must be deleted. If you hit the backspace on the Version, it will display the blank record and give you the option to delete it.	Hit the backspace on the Version, it will display the blank record and give you the option to delete it.
(P152) Internal Grade not found on P140!	This error occurs when a grade level is defined on P152 Grade Level Progression that does not exist as a valid grade level on P140.	If the grade level on P152 is correct, add the missing grade level to P140.
(P152) Grade Duplicated!	This error occurs when more than one grade level progression record exists with the same Next Grade value.	Correct the "Grade To" so that there are no duplications in advancing to the next grade level.
(P153) Blank Report Period Averaging record flushed	This error occurs when the version number and/or the requested reporting period is blank on a P153 table entry.	Delete the record and re-add with the correct values.
(P155) Blank NonSIS Tbl. record flushed	This error occurs when there is a blank record defined on P155 – Non-Sis Tables. This record will appear as a blank line on line number one.	Delete this line from the table.
(P156) Blank TimeTable record flushed	This error occurs when there is a blank record defined on P156 - Time table period definition. This record will appear as a blank line on line	Delete this line from the table.

	number one.	
(P157) Blank Rooms type record flushed	This error occurs when there is a blank record defined on P157 - Room Types Table. This record will appear as a blank line on line number one.	Delete this line from the table.
(P160) Blank Locker Record flushed	This error occurs when there is a blank record defined on P160 – School Lockers Table. This record will appear as a blank line on line number one.	Delete this line from the table.
(P161) Blank Locker Combination record flushed	This error occurs when there is a blank record defined on P161 – Locker Combinations Table. This record will appear as a blank line on line number one.	Delete this line from the table.
(P162) Blank Policy Code record flushed	This error occurs when there is a blank record defined on P162 – Discipline Policy Code Table. This record will appear as a blank line on line number one.	Delete this line from the table.
(P163) EMIS reason not found for code XX record.	This error occurs when a code is defined on P163 – Infraction codes and it has an EMIS Infraction code as part of the description and the EMIS code value is no longer a valid code.	Change the Text field for the code in error to a valid EMIS infraction reason. If none apply, then leave the Pipe Character and EMIS reason off the description text.
(P163) Blank record flushed	This error occurs when there is a blank record defined on P163 – Discipline Infraction Code Table. This record will appear as a blank line on line number one.	Delete this line from the table.
(P163) Record with blank description flushed	This error occurs when there is a P163 – Infraction Code table record defined and the description field is blank.	In Change mode on P163, select the line with the missing code description and add a description. If the code is to be reported to EMIS, make sure to include the ‘ ’ and the EMIS code at the end of the

		description line.
(P164) Blank Location Code record flushed	This error occurs when there is a blank record defined on P164 – Discipline Location Code Table. This record will appear as a blank line on line number one.	Delete this line from the table.
(P165) Blank Referral Code record flushed	This error occurs when there is a blank record defined on P165 – Discipline Referral Code Table. This record will appear as a blank line on line number one.	Delete this line from the table.
(P166) Blank Disc Contact Code record flushed	This error occurs when there is a blank record defined on P166 – Discipline Contact Code Table. This record will appear as a blank line on line number one.	Delete this line from the table.
(P210) flushed. Internal grade () not found on P140!	This error occurs when there is a rule defined for a non-blank grade level on the P210 – Graduating Grade, and the grade level is not defined on P140 Grade level table in the building.	Delete the entry from P210 that has the invalid grade level. If the grade level rule is needed but the grade level doesn't exist on P140, you may add the grade level to P140 to correct the problem.
(P214) flushed. Internal grade () not found on P140!	This error occurs when there is a record on P214 – Required Credits by Course Grade Level, defined for a grade level that doesn't exist on the P140 Grade Level Table.	Delete the record with an invalid grade level from the P214 Table.
(P220) flushed. Internal grade from () not found on P140!	This error occurs when there is a record defined on P220 – Required Courses by Grade level, that has a Grade “From” in the grade range, that is not defined on the P140 Grade Level Table. Each line in this table contains a Grade “From” and a Grade “To”. This error is occurring on the grade “From” field.	The Grade From field is not a changeable field. To correct this problem. Delete the record and re-add with the correct grade “From” grade level.
(P220) flushed. Internal grade to () not	This error occurs when there is a record defined	To correct the record, in Change mode,

found on P140!	on P220 – Required Courses by Grade level, that has a Grade “To” in the grade range, that is not defined on the P140 Grade Level Table. Each line in this table contains a Grade “From” and a Grade “To”. This error is occurring on the grade “To” field.	change the “To” grade level to a valid grade level as defined on P140 – Grade level table.
(GRDE) Group Detail:SDP Section:01 SchoolYear:2004 Course:SDPL Section:01 Course not on P501 or CRSE. Flushed.	This error occurs when a Course group is defined containing a course section that is not a valid course. The course must be defined on CRSE or P501 to be included as part of a group.	If the course section shouldn’t be a part of the group, check CLIS and REQU to make sure there are no CLIS records or assigned requests for this course section prior to deleting it from the group. This may require DASite staff intervention to correct.
(P501) Blank Artificial Course record flushed	This error occurs when a blank record is encountered on P501 – Artificial Course Codes table. The record in error will appear as a blank line in line number one on the P501 screen.	Delete this line from the table.
(P163) Blank record flushed	This error occurs when a blank record is encountered on P163 Discipline Infraction Codes table. The record in error will appear as a blank line in line number one on the P163 screen.	Delete this line from the table.
(P165) Blank Referral Code record flushed	This error occurs when a blank record is encountered on P165 Discipline Referral Codes table. The record in error will appear as a blank line in line number one on the P165 screen.	Delete this line from the table.
(P167) Invalid EMIS Action> XX record	This error occurs when an Action code contains an invalid code, which is part of the description	The entire description text needs to be re-typed with the correct EMIS code value or

	field. The EMIS value is the part of the description that appears after the “ ” character.	no “ ” and code if this action is no longer an EMIS reportable action.
(P167) Blank action record flushed	This error occurs when a blank record is encountered on P167 Discipline Action Codes table. The record in error will appear as a blank line in line number one on the P167 screen.	Delete this line from the table.
(P168) Blank Screen types record flushed	This error occurs when a blank record is encountered on P168 Screen Types table. The record in error will appear as a blank line in line number one on the P168 screen.	Contact your DASite support to correct this problem. This is a screen that typically, only DASite staff have access to this screen.
(P170) Blank record flushed	This error occurs when a blank record is encountered on P170 Control Parameters for Absence Letters table. The record in error will appear with a blank version number on P170.	Delete the entire record from the P170 screen.
(P171) Blank version record flushed	This error occurs when a blank record is encountered on P171 – Control Parameters for R318 table. The record in error with a blank version number on the P171 screen.	Delete the entire record from P171.
(P172) Blank version record flushed	This error occurs when a blank record is encountered on P172 – Control Parameters for R319 and R322.	Delete the entire record from P172.
(P173) Blank version record flushed	This error occurs when a blank record is encountered on P173 – Control Parameters for B115.	Delete the entire record from P173 and re-add with the correct values for B115 processing.
(P174) Blank Control Parameter flushed	This error occurs when a blank record is encountered on P174 – Control Parameters for Honor roll.	Delete the entire record from P174 and add back in with the correct values if applicable.
(P175) Blank Control Parameter flushed	This error occurs when a blank record is encountered on P175 – Control Parameters for R702	Delete the entire record from P175.

(P176) Blank Honor Message parameter flushed	This error occurs when there is a blank record or a record with a blank version number encountered on P176 – Honor Message Control parameters for R700.	Delete the entire record from P176.
(P178) Blank header mark on Combined Marks record flushed	This error occurs when the header mark for a combined mark group is blank or invalid.	To correct the record, the record in error must be deleted and re-added with the correct values.
(P178) Blank Version on Combined Marks record flushed	This error occurs when the version for a combined mark group is blank.	To correct the version, you will need to delete all entries under the blank version and re-add under a correct version number.
(P180) Blank Street Direction Code record flushed	This error occurs when a blank record is encountered on P180 – Street Direction Codes. The record in error will appear as a blank line on line 1 of the P180 table..	Delete the blank line from P180.
(P181) Blank Street Type Code record flushed	This error occurs when a blank record is encountered on P181 - Street Type Codes. The record in error will appear as a blank line on line one of the P181 table.	Delete the blank line from P181.
(P183) Blank Cust.Code record flushed	This error occurs when a blank record is encountered on P183 – Custody Type Codes. The record in error will appear as a blank line on line one of the P183 table.	Delete the blank line from P183.
(P193) Blank Proficiency score code record flushed	This error occurs when a blank record is encountered on P193 – Proficiency Test Score Codes. The record in error will appear as a blank line on line one of the P193 table.	Delete the blank line from P193.
(P210) Blank Graduating Grade flushed	This error occurs when a blank record is defined on P210 – Graduating Grade, which is part of the graduation verification module parameters. The	Delete the record in Error and add in a new record with the correct graduating grade.

	record in error will have a blank graduating grade.	
(P211) Specific Course Credits flushed	This error occurs when a blank record is encountered on P211 – Required Specific Course Credits. The record in error will appear as a blank line on line one of the P211 table.	Delete the blank line.
(P212) Blank Credits by Subject Area flushed	This error occurs when the graduation rule and/or the subject area on the record is blank.	To correct this error, delete the records in error and re-add them with the correct values.
(P213) Blank Credits by Area of Study flushed	This error occurs when the graduation rule and/or the area of study on the record is blank.	To correct this error, delete the records in error and re-add them with the correct values.
(P214) Blank Required Credits by Grade level flushed	This error occurs when the graduation rule and/or the grade level on the record is blank.	To correct this error, delete the record in error and re-add it with the correct values.
(P215) Blank Required Total Credits flushed	This error occurs if the graduation rule on P215 is blank.	To correct this error, delete the P215 entries and re-add them under the correct graduation rule.
(P216) Blank Exclusive Course Groups flushed	This error occurs if the graduation rule or the course group on a P216 record is blank.	To correct this error, delete the P216 entries and re-add them under the proper graduation rule.
(P217) Blank Miscellaneous Requirements flushed	This error occurs if the graduation rule field on P217 is blank.	To correct this error, delete the P217 records in error and re-add them under the proper graduation rule.
(P218) Blank Waived Requirements flushed	This error occurs when the graduation rule field or the subscreen field is blank on a P218 record.	If the subscreen number is blank, you can just change the subscreen field on the record. If the graduation rule is blank, then you'll need to delete the record and re-add it.
(P219) Blank Placement of Excess Credits flushed	This error occurs when the graduation rule field or the Apply to Parameters field is blank.	If either field is blank, the records must be deleted and re-added under the correct

		P219 version and/or parameter number.
(P220) Blank Locally Developed Requirements flushed	This error occurs when the graduation rule field or the Grade From field is blank.	If either is blank, the record in error must be deleted and then re-added with the correct values.
(P230) Blank Health Log Place Code record flushed	This error occurs when there is a blank record defined on P230. This will appear on line one of the table as a blank line.	Delete the record.
(P301) Reporting Period term not found in P106 - flushed> Year:9999, Term X, Reporting Period Y	This error occurs when a reporting term is defined on P301 – Class periods possible but the term/reporting period combination is not defined on P106 – Reporting periods. The error message contains the value of school year, term and reporting period to identify the invalid record.	To correct, delete the record.
(P301) Reporting Period improper for term as defined in P106 – flushed > Year: Term: Reporting Period:	This error occurs when an entry exists on the P301 – Class Periods possible table where the reporting period is not assigned to the term on P106 – Reporting Periods.	The reporting period field is not a changeable field. To correct, delete the record from P301 Class Periods Possible. If the problem is on P106 and the reporting periods are not correctly defined, please contact your DASite Student Services support person for assistance in making the corrections.
(P301) Blank Class Periods Possible record flushed	This error occurs when the field value for class periods possible for a record contains spaces.	If the reporting period has no days, replace the spaces with zeroes.
(P303) General School Fee Flushed - overlapping years 01 2002 TECHNOLOGY SUPL	This error occurs when there are identical fees defined on P303, however, their From and to years overlap with one another making them both valid during the same time period.	It is possible to change the “Valid to” year field but not the “Valid From” field. If the problem exists in the “Valid From year” field, delete the record and re-enter it with the proper “Valid from year” so that no overlap in years exists.
(P303) Blank General School Fee Flushed	This error occurs when a blank record for a	To correct, delete the blank line.

	general school fee exists on P303 – General School Fees. This record will appear on line one of the table as a blank line.	
(P304) Blank Class Fees flushed	This error occurs when a blank record for a course fee exists on P304 – Course Fees. This record will appear on line one of the table as a blank line.	To correct, delete the blank line.
(P303) flushed. Internal grade () not found on P140!	This error occurs when there is a general school fee record defined containing a grade level that isn't defined on P140 – Grade Levels.	In Change mode on P303, correct the record with the invalid grade level. You may also backspace on this field to remove the grade level completely making the fee applicable to all grade levels if appropriate.
(P305) Blank group code flushed record>XXXX	This error occurs when a blank record for a Student Control group exists on P305. This record will appear on line one of the table as a blank line.	To correct, delete the blank line.
(P306) Blank description flushed	This error occurs when the description for a control code is blank.	To correct the error change the description to a non-blank value.
(P307) Blank Homeroom Assignment by Class record flushed	This error occurs when the course ID and section defined on P307 for a homeroom assignment are blank. This record will appear on line one of the table as a blank line.	To correct, delete the blank line.
(P310) Non numeric values, record flushed > record>	This error occurs when there is a blank line defined on a calendar. This record will have a non-numeric Calendar number, school year and/or month.	To correct, delete the records in error and re-add with the proper values.
(P313) Blank Grade Credit Multiplier record flushed	This error occurs when a blank record for a grade level credit multiplier is defined on P313 – Grade Credit Multipliers. This error will appear as a	Delete the line to correct the error.

	blank line on P313.	
(P313) flushed. Internal grade () not found in P140!	This error occurs when there is a P313 – Grade Credit multiplier record defined for a grade level that doesn't exist on P140 – Grade levels. This also occurs when the grade level field is blank.	Delete the record from the P313 Table.
(P314) Blank Condition record flushed	This error occurs when a blank record is defined on P314 – Student Absence letter Control flags.	If the condition field is blank, any condition record defined under the blank condition will need to be deleted and re-added under the proper condition code.
(P315) Blank Proration Code record flushed	This error occurs when records are defined for a blank proration code on P315 – Proration code tables.	To correct the error, the records will need to be deleted and then re-added under the proper proration table code.
(P316) Blank Misc Fee record flushed	This error occurs when a blank fee record is defined on P316 – Miscellaneous Fee codes. If a blank fee record exists, it will appear on line one of the table.	Delete the line to correct the problem.
(P317) Blank Accounting Code record flushed	This error occurs when a fee account code record is defined on P317 – Account Codes codes. If a blank record exists, it will appear on line one of the table.	Delete the line to correct the problem.
(P318) Blank Salf condition text record flushed	This error occurs when a blank record exists on P318 – P314/SALF Condition Code Text.	To correct this error, delete the records in error and re-add them with the proper condition code.
(P401) Blank Marks report Comment flushed	This error occurs when there is a blank comment record defined on P401 – Comment Text for student marks report.	To correct the problem, delete the comment.
(P402) Blank Marks report comment flushed	This error occurs when there is a blank comment record defined on P402 – comment Text for Student Marks report group two.	To correct the problem, delete the blank comment.
(P403) Blank Schedule Message flushed	This error occurs when there is a blank comment	To correct the problem, delete the blank

	record defined on P403 – comment text for student schedule conflict message.	comment.
(P404) Blank Student Schedule Comment flushed	This error occurs when there is a blank comment record defined in P404 – Common text for student schedules.	To correct the problem, delete the blank comment.
(P405) Blank comment for Student Fee Receipt flushed	This error occurs when there is a blank comment record defined in P405 – Comment Text for student fee receipts.	To correct the problem, delete the blank comment.
(P406) Blank Heading for Student Fee Receipt flushed	This error occurs when there is a Student Fee receipt heading defined with no heading text on P406 – Heading for Student Fee Receipt.	Change the record so that the text field is no longer blank or delete the record.
(P408) Blank Course Request Verification slips message flushed	This error occurs when the line number and/or the text of a course request verification slip message is blank. It is o.k .if the grade level field is blank.	Delete the record on P408.
(P413) Blank Comment record flushed	This error occurs when the format number or the sequence number on a P413 – Teacher Comment is blank.	Delete the record on P413.
(P415) Blank Course Abbreviation Selection record flushed	This error occurs when the format number or the course abbreviation field is blank on the P415 – Course Abbreviation Selection table is blank.	If the format number is blank, delete all course abbreviations defined for the blank format number. If just the course abbreviation line is blank, delete the blank line.
(P417) Blank Homeroom record flushed	This error occurs when a blank homeroom is defined on P417 – Homeroom selection for Locker assignments.	Delete the record with the blank homeroom from P417.
(P419) Blank Homerooms by course record flushed	This error occurs when a record exists with a blank course ID on P417 – Class Selection for Locker assignments.	Delete the record with the homeroom from P419.
(P420) Blank Homerooms by grade record flushed	This error occurs when a record exists with a blank “Grade From” exists on P420 – Grade	Delete the record with the blank Grade level from P420.

	Selection for Locker Assignments	
(P420) flushed. Internal from grade () not found on P140!	This error occurs when a record is defined on P420 – Locker Assignment by Grade level which contains an invalid value in the Grade “From “ field. Each record on this table has a grade “from” and a grade “to”.	The grade “From” field is not a changeable field. Delete the record from P140 and re-add with a valid “from” grade level if the record is needed.
(P420) flushed. Internal to grade () not found on P140!	This error occurs when a record is defined on P420 – Locker Assignment by Grade level which contains an invalid value in the Grade “To“ field. Each record on this table has a grade “from” and a grade “to”.	The grade “To” field is a changeable field so if you wish to keep the record, change the grade “to” to a valid grade level. If the record is not needed, delete the record..
(P501) Blank Artificial Course record flushed	This error occurs when there is record defined on P501 that has a blank course code. This record will appear as a blank line on line one of P501 – Artificial Course Codes.	Delete the blank line from P501.
(P501) Duplicate P501 Course Code found.	This error occurs when there are two records defined on P501 – Artificial course codes and one is defined in upper case and the second is in lower case. In DASL, case doesn’t matter so they are considered the same course ID.	Define a new artificial course code to replace the duplicate if it is currently being used and replace the old course code with the new code. If fees are defined for the course being changed, contact your DASite for assistance with the change.
(P502) No rules found	This error occurs when the P502 update version or the sequence number field is blank on a P502 – rules for Batch updating of course requests is blank	Delete the line with a blank sequence. If the version number is blank, delete all rules defined on P502 under the blank version number.
(P502) flushed. Internal grade () not found on P140!	This error occurs when there is a rule defined on the P502 Rules for batch updating of Student Course Requests table that has an invalid grade level as part of the rule.	If you wish to retain the rule for updating, you may correct the grade level by changing the grade level field to a valid grade level from the P140 Grade Levels table, or hit the Backspace to delete the

		contents of the field, making the rule valid for any grade level.
(P511) Schedule grade 1 () not found in P140! (This error could occur up to 6 times – once for each grade level field on P511)	This error occurs when there are invalid grade level values in the Grades to schedule field on P511 – Run Control Parameters for schedules. The grade levels indicate the grades to be scheduled by the batch schedule. You may see zeroes or question marks in the grade level fields.	In Change mode on P511, change the grade levels to schedule to valid grade levels defined on P140 if this building uses the batch scheduler. If the building doesn't use the batch scheduler, you may backspace thru the grade level fields removing the values.
(P520) Internal grade 1 () not found in P140! (This error could occur multiple times – once for each grade level)	This error occurs when there are grade levels defined on P520 – Study Hall Assignment Control that do not exist on the P140 grade level table in the building. This is a common error in elementaries or other buildings that do not use the batch scheduler and have never changed the default values in this table. A separate error will appear for each grade level field on each line that contains an invalid grade level. The value in parenthesis will indicate the value of the grade level, which is invalid.	To correct this error, in Change mode on P520, enter the valid grade levels in your building in order from left to right on both lines for any grade level where student halls may be assigned. If your school does not assign study halls, then you may backspace thru each of the grade level fields to blank out the grade level.
(P521) Blank course id flushed	This error occurs when there is a blank course ID defined on the P521 Student Hall Grade Levels table. This line will appear as the first line of the P521 table.	Delete the line with the blank Course ID value.
(P521) Flushed. Internal from grade () not found in P140!	This error occurs when a P521 – Study Hall Grade Level record is defined that contains grade levels that are not defined on the P140 Grade level table in this building. Invalid grade levels will appear as question marks or zeroes in the “from grade” level field.	If study hall assignments by grade level are not used in the building, delete all entries on P521. If study hall assignments by grade level are used, but the existing entries are showing invalid grade levels, then change the grade levels in error or backspace thru them to remove them.

<p>(P521) Flushed. Internal to grade () not found in P140!</p>	<p>This error occurs when a P521 – Study Hall Grade Level record is defined that contains grade levels that are not defined on the P140 Grade Level table in this building. Invalid grade levels will appear as question marks or zeroes in the grade level fields.</p>	<p>If study hall assignments by grade level are not used in the building, delete all entries on P521. If study hall assignments by grade level are used, but the existing entries are showing invalid grade levels, then change the grade levels in error or backspace thru them to remove them.</p>
<p>(CCOM) Bad Record flushed.</p>	<p>This error occurs when there is a blank record on the CCOM – Coded Comments Table. This record will appear as a blank line on line one of the CCOM table.</p>	<p>Delete the blank comment line from CCOM.</p>
<p>(GRHE) GroupId:SH1 Name:STUDY HALL 1 SchoolYear:2004 matches artificial course. Flushed.</p>	<p>This error occurs when there is a Course group defined on CGRP and the Group ID is the same as a course defined on P501 Artificial Courses. Group ID's must be unique and cannot be defined on CRSE or P501.</p>	<p>If the artificial course code is not being used, then delete it from P501. If it is being used, then you must delete the entire group defined under this ID. If students are already assigned to the group, and B105 has been processed, then the group may be deleted from CGRP with assistance from your DASite support staff. If you have outstanding requests for the Group, then replace the group request with a new group ID.</p>
<p>(DIVI) Record flushed, room is blank.</p>	<p>This error occurs when there is a homeroom defined on the DIVI or HRMS table that has a blank room number.</p>	<p>Find the record in error on the HRMS screen and change the room field.</p>
<p>(GRSE) GroupId:SH1 Section:01 SchoolYear:2004 matches artificial course. Flushed.</p>	<p>This error occurs when there is a Course group defined on CGRP and the Group ID is the same as a course defined on P501 Artificial Courses. Group ID's must be unique and cannot be defined on CRSE or P501. (Note: you'll also receive the GRHE) error above for the same group problem.</p>	<p>If the artificial course code is not being used, then delete it from P501. If it is being used, then you must delete the entire group defined under this ID. If students are already assigned to the group, and B105 has been processed, then the</p>

	Correcting CGRP as per above will resolve the error for the same course in GRSE.	group may be deleted from CGRP with assistance from your DASite support staff. If you have outstanding requests for the Group, then replace the group request with a new group ID.
(P149) Record with bad version # flushed	This error occurs when there is a P149 Student ID table that has a blank version.	To correct, delete the students listed under the blank version number.
FEES File Error Messages	Error Description	Corrective Action
(FEES) Course Student Fee has no matching P304 code: Stu#>000005385 Course>JDPL Section>00 Fee#>02 Date>20030804	This error occurs when student has a fee record for a course fee and the course fee is not defined on P304. In this example, the course fee is for a prior year fee. The course ID is JDPL.	The course fee must be added to P304 so that it is valid. If the course fee no longer exists, the From and to Years on the fee record should reflect the years it is valid for. If the student fee record is no longer valid or the student is no longer in SIS in this building, delete the Fee record from the FEES file.
(FEES) Misc Student Fee has no matching P316 code: Stu#>000002864 Code>FR Fee#> Date>20020813	This error occurs when a student has a fee record for a Miscellaneous fee and the miscellaneous fee does not exist on P316. In this example, the miscellaneous fee has a date of 8/13/2002.	If the student still has a STUD record in the building and still owes the fee, a fee record needs to be added back to P316 for the fee. If the student no longer exists in the building, the Fee record in error should be deleted from the FEES file.
PADR File Error Messages	Error Description	Corrective Action
(PADR) Record flushed, student id or seq is blank: Stu#>	This error occurs when a record is found in PADR that has a blank Student ID or Sequence number. In most cases, the record will be completely blank.	Display the blank record by hitting the backspace key on the Student ID field. The blank record will display and maybe deleted. Delete the blank record.
REQU File Error Messages	Error Description	Corrective Action
Bad REQU (Stu#, SchoolYear or Course) Flushed	This error occurs when a record is found in the REQU file for a student that has a blank Student	Find the blank REQU record and delete it. You may have to contact your DASite

	ID, school year or Course ID.	staff to assist you in locating and deleting the record.
TEAC File Error Messages	Error Description	Corrective Action
(TEAC) Record flushed, key is blank: LastName>	This error occurs when the Teacher ID is blank on a TEAC record.	Find the teacher record on the TEAC file with a blank TEAC ID and delete it.
(TEAC) Duplicate key flushed! Teac>LastName>matches Teac>LastName	This error occurs when there are two TEAC records in the same building that have the same teacher name. The error message provides the Teacher Last name for the teacher records which	Before Deleting the duplicate TEAC record, you'll need to correct CMST and HRMS if the teacher ID being deleted is in use.